

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U. S. Patent and Trademark Office, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.**

Please type a plus sign (+) inside this box → ☐

Approved for use through 10/31/2002 (OMB 0831-0031)
U. S. Patent and Trademark Office: U. S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.



Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet **2** of **2**

Complete if Known

Application Number	09/810,635
Filing Date	March 16, 2001
First Named Inventor	Martin Gerber et al.
Group Art Unit	3736
Examiner Name	Unknown
Attorney Docket Number	9793/035 BMID 9977

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
RLK		FAITA, G., De Nora Permalec, "Caustic Soda Without Chlorine Production," Seventh Forum Proceedings, published by the Electrosynthesis Company, Inc. (1993)	
		MILLINGTON, J.P., "An Electrochemical Unit for the Recovery of Sodium Hydroxide and Sulphuric Acid from Waste Streams," Chp. 13, pp. 195-206, from Ion Exchange Membranes, Published for Society of Chemical Industry, London, by Ellis Horwood Limited Publishers, Chichester (1983)	
		SOLDATKIN, A.P., EL'SKAYA, A.V., SHUL'GA, A.A., JDANOVA, A.S., DZYADEVICH, S.V., JAFFREZIC-RENAULT, N., MARTELET, C., CLECHET, P., "Glucose sensitive conductometric biosensor with additional Nafion membrane: reduction of influence of buffer capacity on the sensor response and extension of its dynamic range," Analytica Chimica Acta 288, pp. 197-203, (1994)	
		KOHL, M., ESSENPREIS, M., COPE, M., "The Influence of glucose concentration upon the transport of light in tissue-simulating phantoms," Phys. Med. Biol. 40, pp. 1267-1287, (1995)	
		SIMONS, R., "A novel method for preparing bipolar membranes," Electrochimica Acta, Vol. 31, No. 9, pp. 1175-1176, (1986)	
		BRULSEMA, J.T., HAYWARD, J.E., FARRELL, T.J., PATTERSON, M.S., HEINEMANN, L., BERGER, M., KOSCHINSKY, T., SANDAHL-CHRISTIANSEN, J., ORSKOV, H., ESSENPREIS, M., SCHMELZEISEN-REDEKER, G., BOCKER, D., "Correlation between blood glucose concentration in diabetics and noninvasively measured tissue optical scattering coefficient," Optics Letters, Vol. 22, No. 3, February 1, 1997	
		KOHL, M., COPE, M., ESSENPREIS, M., BOCKER, D., "Influence of glucose concentration on light scattering in tissue-simulating phantoms," a reprint from Optics Letters, pp. 2170-2172, (1994)	
RLK		ARNOLD, F.H., ZHENG, W., MICHAELS, A.S., "A membrane-moderated, conductimetric sensor for the detection and measurement of specific organic solutes in aqueous solutions," Journal of Membrane Science 167, pp. 227-239, (2000)	

Examiner Signature

[Handwritten Signature]

Date Considered

540-2034

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U. S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



RECEIVED
AUG 1 2001
TECHNOLOGICAL CENTER 19790



Approved for use through 10/31/2002, OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.


RECEIVED
MAR 11 2003

99 TECHNOLOGY CENTER R3700

ad Pb

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.**



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

PTO/SB/08A (08-00)

Approved for use through 10/31/2002, OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)			Complete if Known		
			Application Number	09/810,635	
			Filing Date	March 16, 2001	
			First Named Inventor	Martin Gerber et al.	
			Group Art Unit	3736	
			Examiner Name	Unknown	
			Attorney Docket Number	9793/035 BMID 9977	
Sheet	1	of	1		


RECEIVED
 MAR 1 1 2003
 TECHNOLOGY CENTER

U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

[illegible]

EXAMINER SIGNATURE		DATE CONSIDERED	5-18-2024
-----------------------	---	--------------------	-----------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.**